

BEST AVAILABLE COPY

TCI GB20041005050




The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



Signed

Dated 17 December 2004

03DEC03 E856548-5 D00060
P01/770010.00-0327919.5**Request for grant of a patent**

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

1. Your reference

SMK/LP6190409

2. Patent application number

(The Patent Office will fill this part in)

0327919.7

- 2 DEC 2003

3. Full name, address and postcode of the or of each applicant (underline all surnames)

Plant Bioscience Limited
Norwich Research Park
Colney Lane
Norwich
Norfolk NR4 7UH
UNITED KINGDOM

7489982001
GB

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

4. Title of the invention

Enhanced Expression

5. Name of your agent (if you have one)

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

MEWBURN ELLIS
York House
23 Kingsway
London WC2B 6HP

Patents ADP number (if you know it)

109006

6. Priority: Complete this section if you are declaring priority from one or more earlier patent applications, filed in the last 12 months.

Country

Priority application number
(if you know it)Date of filing
(day / month / year)

7. Divisionals, etc: Complete this section only if this application is a divisional application or resulted from an entitlement dispute (see note f)

Number of earlier UK application
(day / month / year)

8. Is a Patents Form 7/77 (Statement of inventorship and of right to grant of a patent) required in support of this request?

YES

Answer YES if:

- a) any applicant named in part 3 is not an inventor, or
- b) there is an inventor who is not named as an applicant, or
- c) any named applicant is a corporate body.

Otherwise answer NO (See note d)



9. - Accompanying documents: A patent application must include a description of the invention. Not counting duplicates, please enter the number of pages of each item accompanying this form:

Continuation sheets of this form

2003 230 50

Description	40
Claim(s)	<i>8</i>
Abstract	
Drawing(s)	3 <i>4</i> 1

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for a preliminary examination and search (Patents Form 9/77)

Request for a substantive examination (Patents Form 10/77)

Any other documents (please specify)

11. I/We request the grant of a patent on the basis of this application.

Signature(s)

Simon M Kremer Date 2 December 2003

12. Name, daytime telephone number and e-mail address, if any, of person to contact in the United Kingdom

SIMON M KREMER
0207 240 4405

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 08459 500505.
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- d) If you have answered YES in part 8, a Patents Form 7/77 will need to be filed.
- e) Once you have filled in the form you must remember to sign and date it.
- f) Part 7 should only be completed when a divisional application is being made under section 15(4), or when an application is being made under section 8(3), 12(6) or 37(4) following an entitlement dispute. By completing part 7 you are requesting that this application takes the same filing date as an earlier UK application. If you want the new application to have the same priority date(s) as the earlier UK application, you should also complete part 6 with the priority details.

ENHANCED EXPRESSIONTECHNICAL FIELD

5

The present invention relates generally to methods and materials for boosting gene expression.

BACKGROUND ART

10

In plants, post-transcriptional gene silencing (PTGS) is manifested as the reduction in steady-state levels of specific RNAs after introduction of homologous sequences in the plant genome. This reduction is caused by an increased turnover of target RNA species, 15 with the transcription level of the corresponding genes remaining unaffected.

It is known that by suppressing PTGS e.g. by mutating or otherwise impairing the function of the mechanistic genes which support it will 20 increase the expression of silenced genes, back to non-silenced levels.

For example the SGS2 and SGS3 genes were found by mutation of a silenced *A. thaliana* plant line containing nptII/p35S/uidA/tRBC 25 (Elmayan, et al. 1998). GUS activity was restored after mutation. The SDE1 and SDE3 genes were found by mutation of a silenced plant line containing p35S/PVX:GFP amplicon and p35S/GFP (Dalmay, et al. 2000b). GFP fluorescence was restored after mutation.

30 Nevertheless, it will be appreciated that methods of increasing the expression of genes over and above those achieved even in such silencing defective contexts would provide a contribution to the art.

DISCLOSURE OF THE INVENTION

The present inventors have discovered that expression of a target gene in a PTGS-suppressed background can be additionally enhanced by 5 the use of Matrix Attachment Regions (MARs). MARs are non-transcribed regions in eukaryotic genomes that are attached to the proteinaceous matrix in the nucleus (reviewed by Holmes-Davis & Comai, 1998; Allen et al., 2000).

10 It has been hypothesized in the art that MARs may have a role in shielding sequences from gene silencing. In some cases, transgene expression dropped when MARs were removed from homozygous, high-expressing transgenic tobacco lines (Mlynarova et al., 2003 The Plant Cell: 15, 2203-2217). However, when MARs were used to flank vector 15 constructs for transformation of *Arabidopsis thaliana*, no PTGS-shielding effect was observed in populations of hemizygous, primary transformants (De Bolle & Butaye et al. (2003)).

Irrespective of the results above, it was not known or expected that 20 MARs could further enhance expression in contexts in which silencing was impaired by a different mechanism.

Briefly, the present inventors demonstrated that the influence of MARs on the level and the variability of gene expression in 25 *Arabidopsis thaliana* differed significantly between wild-type plants and various *A. thaliana* mutants impaired in the RNA silencing mechanism, with much greater levels of expression being shown by the latter. In one embodiment of the invention it was estimated that GUS expression was enhanced to the extent that the protein accumulated to 30 roughly 10% of the total soluble proteins in the vegetative tissues of transgenic plants.

Particular aspects of, and definitions used in, the invention will now be discussed in more detail.

In general the invention provides a method of producing a transgenic organism in which a target nucleotide sequence is expressed at an enhanced level, the method comprising the steps of:

5 (i) providing an organism in which PTGS has been suppressed (which suppression may be pre-existing, or may require the step of suppressing PTGS in the organism e.g. using the methods discussed below),

10 (ii) associating said target nucleotide sequence with one or more heterologous Matrix Attachment Region (MARs), and optionally:

15 (iii) causing or permitting expression from the target nucleotide sequence in the organism.

Thus, for example, the invention provides a method of achieving enhanced expression of a heterologous target nucleotide sequence in 15 an organism which is deficient in one or more genes required to support PTGS, which method comprises the steps of associating said target nucleotide sequence with one or more MARs. In one embodiment, the or each of the MARs may be introduced to and associated at random with pre-existing gene present in the genome of the organism (e.g. to 20 positions flanking it).

The target nucleotide sequence may be one which is endogenous, but is operably linked to a strong, heterologous promoter or enhancer sequence. Such methods may involve:

25 (i) providing an organism in which PTGS has been, or is suppressed (as discussed herein),

(iia) operably linking said target nucleotide sequence with a heterologous strong promoter or enhancer sequence, and

(iib) associating said target nucleotide sequence with one or more 30 MARs.

Such methods could be performed analogously to existing studies where e.g. the 35S- promoter is introduced at random into a genome to alter the expression of neighbouring endogenes; or e.g. activation-tagging 35 in which enhancers of the p35S are randomly inserted into a genome to

activate/increase the expression of endogenes for selection of altered phenotypes (Weigel, D., et al. (2000) Activation tagging in *Arabidopsis*. *Plant Physiol.*, 122: 1003-13.).

- 5 In one embodiment this may be carried out as follows:
 - (i) providing an organism in which PTGS has been, or is suppressed (as discussed herein),
 - (iia) providing a target nucleic acid construct comprising (a) a promoter, and (b) one or more Matrix Attachment Regions (MARs)
- 10 associated therewith,
- (iib) introducing said target construct into a cell of the organism, such that the promoter becomes operably linked to an endogenous target nucleotide sequence.
- 15 In another, preferred embodiment, the target nucleotide sequence and promoter will both be heterologous to the organism. Thus this aspect of the invention provides a method of producing a transgenic organism in which a heterologous target nucleotide sequence is expressed at an enhanced level, the method comprising the steps of:
 - 20 (i) providing an organism in which PTGS has been suppressed,
 - (iia) providing a target nucleic acid construct comprising (a) an expression cassette including the target nucleotide sequence operably linked to a promoter, and (b) one or more Matrix Attachment Regions (MARs) associated therewith,
- 25 (iib) introducing said target construct into a cell of the organism,

In principle the steps of the method may be carried out in any order i.e. the PTGS may be suppressed after introduction of the construct. Thus the invention provides the steps of:

- 30 (i) providing an organism,
- (iia) associating the target nucleotide sequence with one or more MARs in a cell of the organism as discussed above,
- (iib) suppressing PTGS in the organism e.g. using the methods discussed below (gene mutation or so on).

However preferably the organism will be one in which PTGS is already suppressed.

In preferred embodiments, the invention is used to enhance 5 expression, particularly the level of translation, of a nucleic acid in a cell, particularly a plant cell. Expression may be enhanced, for instance, by at least about 25-50%, preferably about 50-100%, or more. In certain preferred embodiments at least 5, 10, 15, 20, 25, or 30-fold enhancements of expression may be achieved.

10 Some particular preferred embodiments will now be discussed.

PTGS suppression

15 Preferably the organism is one which is deficient in one or more genes required to support PTGS e.g. a plant deficient in one or more of the following:

- 1) SGS2/SDE1: RdRp (Dalmay et al., 2000, Mourrain et al., 2000)
- 20 2) SGS3: coiled coil protein with unknown function (Mourrain et al., 2000)
- 3) SDE3: RNA helicase (Dalmay et al., 2001)
- 4) AGO1: PAZ-domain protein (Fagard et al., 2000).
- 5) WEX: RNase D (Glazov et al., 2003)

25 By "deficient" is meant that the activity of the gene (or encoded protein) is impaired. Preferably the gene may be mutated (e.g. a lesion introduced) or otherwise deleted or knocked out. It will be appreciated that such PTGS suppressed organisms may not be entirely 30 PTGS-deficient. The degree of PTGS impairment or deficiency may be assessed using conventional methods e.g. by monitoring the short RNA species (around 25 nt e.g. about 21-23nt RNA) associated with PTGS, or by monitoring mRNA and\or expressed protein (Northern or Western Blots or a reporter gene such as GFP) the existence and severity of 35 PTGS can be assessed (see Hamilton and Baulcombe 1999).

Other means of generally suppressing or silencing PTGS supporting genes will be known to those skilled in the art, and include the use of viral suppressors of GS such as HC-Pro (Anandalakshmi et al., 5 1998) and RNAi, which is widely used as a technique to suppress certain target genes and to create 'knock-outs' e.g. in functional genomic programs.

As is well known to those skilled in the art, RNAi can be initiated 10 using hairpin constructs that are designed to trigger PTGS of the target gene, based on homology of sequences (Hellliwell and Waterhouse 2003). This technique could therefore also be used to silence genes that play a role in PTGS (e.g. SGS2) in plant lines in which the invention is to be applied. RNAi may be achieved by use of an 15 appropriate vector e.g. a vector comprising part of a nucleic acid sequence encoding a PTGS mechanistic gene, which is suitable for triggering RNAi in the cell. For example the vector may comprise a nucleic acid sequence in both the sense and antisense orientation, such that when expressed as RNA the sense and antisense sections will 20 associate to form a double stranded RNA. This may for example be a long double stranded RNA (e.g., more than 23nts) which may be processed in the cell to produce siRNAs (see for example Myers (2003) *Nature Biotechnology* 21:324-328).

25 MARs

Optionally only 1 MAR may be associated with the expression cassette, in which case preferably it will be 5' of the cassette (see e.g. Scöffl e.a. 1993, *Transgenic Res.* 2, 93-100; van der Geest e.a. 1994, 30 *Plant J.* 6, 413-423).

Preferably however 2 MARs will be used, which may be the same or different, and which may be from the same or different sources, and these will flank the expression cassette or target nucleotide 35 sequence.

In preferred embodiments the or each MARs will be less than 500, preferably less than 200, and optionally less than 150, 100, or 50 nucleotides upstream of the promoter or downstream of the terminator.

5

The present invention relates to the use of any MAR origin (e.g. animal, plant, yeast) although preferred examples include that from the chicken lysozyme gene, or from plants such as petunia and tobacco. Other MARs are reviewed in Holmes-Davis and Comai (1998) 10 and Allen, et. al (2000).

Organism

The invention may be applied to any organism in which PTGS can be suppressed, particularly eukaryotic organisms including yeasts, fungi, algae, higher plants. Preferably the organism is a higher plant e.g. *Arabidopsis thaliana*.

Promoter

20

Preferably the promoter used to drive the gene of interest will be a strong promoter. Examples strong promoters for use in plants include:

- (1) p35S: Odell et al.; 1985
- 25 (2) Cassava Vein Mosaic Virus promoter, pCAS, Verdaguer et al., 1996
- (3) Promoter of the small subunit of ribulose biphosphate carboxylase, pRbcS: Ouchkourov et al., 2003.

However other strong promoters include pUBi (for monocots and dicots) and pActin.

30

Choice of target genes to enhance

As discussed above, the target gene may be a transgene or an endogene.

35

Genes of interest include those encoding agronomic traits, insect resistance, disease resistance, herbicide resistance, sterility, grain characteristics, and the like. The genes may be involved in metabolism of oil, starch, carbohydrates, nutrients, etc. Genes or

5 traits of interest include, but are not limited to, environmental- or stress- related traits, disease-related traits, and traits affecting agronomic performance. Target sequences also include genes responsible for the synthesis of proteins, peptides, fatty acids, lipids, waxes, oils, starches, sugars, carbohydrates, flavors, odors, 10 toxins, carotenoids, hormones, polymers, flavonoids, storage proteins, phenolic acids, alkaloids, lignins, tannins, celluloses, glycoproteins, glycolipids, etc.

Most preferably the targeted genes in monocots and/or dicots may 15 include those encoding enzymes responsible for oil production in plants such as rape, sunflower, soya bean and maize; enzymes involved in starch synthesis in plants such as potato, maize, cereals; enzymes which synthesise, or proteins which are themselves, natural medicaments such as pharmaceuticals or veterinary products.

20 Heterologous nucleic acids may encode, *inter alia*, genes of bacterial, fungal, plant or animal origin. The polypeptides may be utilised *in planta* (to modify the characteristics of the plant e.g. with respect to pest susceptibility, vigour, tissue differentiation, 25 fertility, nutritional value etc.) or the plant may be an intermediate for producing the polypeptides which can be purified therefrom for use elsewhere. Such proteins include, but are not limited to retinoblastoma protein, p53, angiostatin, and leptin. Likewise, the methods of the invention can be used to produce 30 mammalian regulatory proteins. Other sequences of interest include proteins, hormones, growth factors, cytokines, serum albumin, haemoglobin, collagen, etc.

Thus the target gene or nucleotide sequence preferably encodes a 35 target protein which is : an insect resistance protein; a disease

resistance protein; a herbicide resistance protein; a mammalian protein.

Constructs & organisms

5

Preferably the target construct is a vector, and preferably it comprises border sequences which permit the transfer and integration of the expression cassette and MARs into the organism genome.

10 Preferably the construct is a plant binary vector. Preferably the binary transformation vector is based on pPZP (Hajdukiewicz, et al. 1994). Other example constructs include pBin19 (see Frisch, D. A., L. W. Harris-Haller, et al. (1995). "Complete Sequence of the binary vector Bin 19." Plant Molecular Biology 27: 405-409).

15

Preferably the construct used is substantially similar to pFAJ3163 shown in Figure 1 i.e. comprises the depicted features of that vector (or equivalents as described herein) in the recited order, and the gene of interest in place of the the B-glucuronidase reporter gene (uidA). In embodiments in which endogenes are being activated by a promoter or enhancer element, the coding region of the construct may be absent.

20 In one aspect the invention may further comprising the step of regenerating a plant from the transformed plant cell.

25 Specific procedures and vectors previously used with wide success upon plants are described by Guerineau and Mullineaux (1993) (Plant transformation and expression vectors. In: Plant Molecular Biology Labfax (Croy RRD ed) Oxford, BIOS Scientific Publishers, pp 121-148). Suitable vectors may include plant viral-derived vectors (see e.g. EP-A-194809). If desired, selectable genetic markers may be included in the construct, such as those that confer selectable phenotypes such as resistance to antibiotics or herbicides (e.g. kanamycin,

hygromycin, phosphinotricin, chlorsulfuron, methotrexate, gentamycin, spectinomycin, imidazolinones and glyphosate).

Nucleic acid can be introduced into plant cells using any suitable
5 technology, such as a disarmed Ti-plasmid vector carried by
Agrobacterium exploiting its natural gene transfer ability (EP-A-
270355, EP-A-0116718, NAR 12(22) 8711 - 87215 1984; the floral dip
method of Clough and Bent, 1998), particle or microprojectile
bombardment (US 5100792, EP-A-444882, EP-A-434616) microinjection (WO
10 92/09696, WO 94/00583, EP 331083, EP 175966, Green et al. (1987)
Plant Tissue and Cell Culture, Academic Press), electroporation (EP
290395, WO 8706614 Gelvin Debeyser) other forms of direct DNA uptake
(DE 4005152, WO 9012096, US 4684611), liposome mediated DNA uptake
(e.g. Freeman et al. *Plant Cell Physiol.* 29: 1353 (1984)), or the
15 vortexing method (e.g. Kindle, *PNAS U.S.A.* 87: 1228 (1990d) Physical
methods for the transformation of plant cells are reviewed in Oard,
1991, *Biotech. Adv.* 9: 1-11. Ti-plasmids, particularly binary
vectors, are discussed in more detail below.

20 Agrobacterium transformation is widely used by those skilled in the
art to transform dicotyledonous species. However there has also been
considerable success in the routine production of stable, fertile
transgenic plants in almost all economically relevant monocot plants
(see e.g. Hiei et al. (1994) *The Plant Journal* 6, 271-282)).

25 Microprojectile bombardment, electroporation and direct DNA uptake
are preferred where Agrobacterium alone is inefficient or
ineffective. Alternatively, a combination of different techniques
may be employed to enhance the efficiency of the transformation
process, eg bombardment with Agrobacterium coated microparticles (EP-
30 A-486234) or microprojectile bombardment to induce wounding followed
by co-cultivation with Agrobacterium (EP-A-486233).

The particular choice of a transformation technology will be
determined by its efficiency to transform certain plant species as

well as the experience and preference of the person practising the invention with a particular methodology of choice.

It will be apparent to the skilled person that the particular choice 5 of a transformation system to introduce nucleic acid into plant cells is not essential to or a limitation of the invention, nor is the choice of technique for plant regeneration. In experiments performed by the inventors, the enhanced expression effect is seen in a variety of integration patterns of the T-DNA.

10 Thus various aspects of the present invention provide a method of transforming a plant cell involving introduction of a construct of the invention into a plant tissue (e.g. a plant cell) and causing or allowing recombination between the vector and the plant cell genome 15 to introduce a nucleic acid according to the present invention into the genome. This may be done so as to effect transient expression. Alternatively, following transformation of plant tissue, a plant may be regenerated, e.g. from single cells, callus tissue or leaf discs, as is standard in the art. Almost any plant can be entirely 20 regenerated from cells, tissues and organs of the plant. Available techniques are reviewed in Vasil et al., *Cell Culture and Somatic Cell Genetics of Plants*, Vol I, II and III, *Laboratory Procedures and Their Applications*, Academic Press, 1984, and Weissbach and Weissbach, *Methods for Plant Molecular Biology*, Academic Press, 1989.

25 The generation of fertile transgenic plants has been achieved in the cereals rice, maize, wheat, oat, and barley (reviewed in Shimamoto, K. (1994) *Current Opinion in Biotechnology* 5, 158-162.; Vasil, et al. (1992) *Bio/Technology* 10, 667-674; Vain et al., 1995, *Biotechnology* 30 *Advances* 13 (4): 653-671; Vasil, 1996, *Nature Biotechnology* 14 page 702).

35 Regenerated plants or parts thereof may be used to provide clones, seed, selfed or hybrid progeny and descendants (e.g. F1 and F2 descendants), cuttings (e.g. edible parts) etc.

The invention further provides a transgenic organism (for example obtained or obtainable by a method described herein) in which a heterologous target nucleotide sequence is expressed at an enhanced 5 level,

wherein the organism is deficient in one or more genes required to support PTGS,

which organism includes in its genome (a) an expression cassette including the target nucleotide sequence operably linked to a 10 promoter, and (b) one or more heterologous Matrix Attachment Regions (MARs) associated therewith.

The invention further comprises a method for generating a target protein, which method comprises the steps of performing a method (or 15 using an organism) as described above, and optionally harvesting, at least, a tissue in which the target protein has been expressed and isolating the target protein from the tissue.

Definitions

20

"Matrix attachment region" (MARs) are non coding DNA sequences that are thought to mediate the binding of chromatin to the proteinaceous nuclear matrix, thereby creating chromatin domains as topologically isolated units of gene regulation.

25

The term "heterologous" is used broadly below to indicate that the gene/sequence of nucleotides in question have been introduced into the cells in question (e.g. of a plant or an ancestor thereof) using genetic engineering, i.e. by human intervention. A heterologous gene 30 may replace an endogenous equivalent gene, i.e. one which normally performs the same or a similar function, or the inserted sequence may be additional to the endogenous gene or other sequence. Nucleic acid heterologous to a cell may be non-naturally occurring in cells of that type, variety or species. Thus the heterologous nucleic acid 35 may comprise a coding sequence of, or derived from, a particular type

of plant cell or species or variety of plant, placed within the context of a plant cell of a different type or species or variety of plant. A further possibility is for a nucleic acid sequence to be placed within a cell in which it or a homologue is found naturally, 5 but wherein the nucleic acid sequence is linked and/or adjacent to nucleic acid which does not occur naturally within the cell, or cells of that type or species or variety of plant, such as operably linked to one or more regulatory sequences, such as a promoter sequence, for control of expression.

10 "Gene" unless context demands otherwise refers to any nucleic acid encoding genetic information for translation into a peptide, polypeptide or protein.

15 "Vector" is defined to include, *inter alia*, any plasmid, cosmid, phage, viral or *Agrobacterium* binary vector in double or single stranded linear or circular form which may or may not be self transmissible or mobilizable, and which can transform a prokaryotic or eukaryotic host either by integration into the cellular genome or 20 exist extrachromosomally (e.g. autonomous replicating plasmid with an origin of replication). The constructs used will be wholly or partially synthetic. In particular they are recombinant in that nucleic acid sequences which are not found together in nature (do not run contiguously) have been ligated or otherwise combined artificially. 25 Unless specified otherwise a vector according to the present invention need not include a promoter or other regulatory sequence, particularly if the vector is to be used to introduce the nucleic acid into cells for recombination into the genome.

30 "Binary Vector": as is well known to those skilled in the art, a binary vector system includes (a) border sequences which permit the transfer of a desired nucleotide sequence into a plant cell genome; (b) desired nucleotide sequence itself, which will generally comprise an expression cassette of (i) a plant active promoter, operably 35 linked to (ii) the target sequence and\or enhancer as appropriate.

The desired nucleotide sequence is situated between the border sequences and is capable of being inserted into a plant genome under appropriate conditions. The binary vector system will generally require other sequence (derived from *A. tumefaciens*) to effect the 5 integration. Generally this may be achieved by use of so called "agro-infiltration" which uses *Agrobacterium*-mediated transient transformation. Briefly, this technique is based on the property of *Agrobacterium tumefaciens* to transfer a portion of its DNA ("T-DNA") into a host cell where it may become integrated into nuclear DNA. 10 The T-DNA is defined by left and right border sequences which are around 21-23 nucleotides in length. The infiltration may be achieved e.g. by syringe (in leaves) or vacuum (whole plants). In the present invention the border sequences will generally be included around the desired nucleotide sequence (the T-DNA) with the one or 15 more vectors being introduced into the plant material by agro-infiltration.

"Expression cassette" refers to a situation in which a nucleic acid is under the control of, and operably linked to, an appropriate 20 promoter or other regulatory elements for transcription in a host cell such as a microbial or plant cell.

A "promoter" is a sequence of nucleotides from which transcription may be initiated of DNA operably linked downstream (i.e. in the 3' 25 direction on the sense strand of double-stranded DNA).

"Operably linked" means joined as part of the same nucleic acid molecule, suitably positioned and oriented for transcription to be initiated from the promoter.

30 It will be appreciate that were a nucleotide sequence (e.g. a specific MAR, gene, polypeptide, promoter etc.) is referred to or exemplified herein, the invention should not be taken to be limited to use of the recited sequence, but also embraces use of a variants 35 of any of these sequences. A variant sequence will be identical to

all or part of the sequence discussed and share the requisite activity, which activity can be confirmed using the methods disclosed or otherwise referred to herein or known to those skilled in the art. Generally speaking, wherever the term is used herein, variants may be

5 (i) naturally occurring homologous variants of the relevant sequence;

(ii) artificially generated variants (derivatives) which can be prepared by the skilled person in the light of the present disclosure, for instance by site directed or random mutagenesis, or by direct synthesis. Preferably any variant sequence shares at

10 least about 75%, or 80% identity, most preferably at least about 90%, 95%, 96%, 97%, 98% or 99% identity with that specifically referred to. Similarity or homology in the case of variants is preferably established via sequence comparisons made using FASTA and FASTP (see Pearson & Lipman, 1988. Methods in Enzymology 183: 63-98).

15 Parameters are preferably set, using the default matrix, as follows: Gapopen (penalty for the first residue in a gap): -12 for proteins / -16 for DNA; Gapext (penalty for additional residues in a gap): -2 for proteins / -4 for DNA; KTUP word length: 2 for proteins / 6 for DNA. Homology may also be assessed by use of a probing methodology

20 (Sambrook et al., 1989). One common formula for calculating the stringency conditions required to achieve hybridization between nucleic acid molecules of a specified sequence homology is: $T_m = 81.5^\circ\text{C} + 16.6\log [\text{Na}^+] + 0.41 (\% \text{ G+C}) - 0.63 (\% \text{ formamide}) - 600/\# \text{bp}$ in duplex. As an illustration of the above formula, using $[\text{Na}^+] = [0.368]$ and 50-% formamide, with GC content of 42% and an average probe size of 200 bases, the T_m is 57°C . The T_m of a DNA duplex decreases by $1 - 1.5^\circ\text{C}$ with every 1% decrease in homology. Thus, targets with greater than about 75% sequence identity would be observed using a hybridization temperature of 42°C .

25

30 The invention will now be further described with reference to the following non-limiting Figures and Examples. Other embodiments of the invention will occur to those skilled in the art in the light of these.

The disclosure of all references cited herein, inasmuch as it may be used by those skilled in the art to carry out the invention, is hereby specifically incorporated herein by cross-reference.

5 FIGURES

Figure 1

Schematic representation of the T-DNA region of plant transformation 10 vectors pFAJ3160 and pFAJ3163. Not to scale. *UidA*: β -glucuronidase coding region; *pat*: phosphinothricin acetyltransferase coding region; *pNOS*: nopaline synthase promoter; *p35S*: cauliflower mosaic virus 35S promoter; *TOCS*: octopine synthase terminator; *tNOS*: nopaline synthase terminator; *Chi1MAR*: chicken lysozyme MAR; RB and 15 LB: right and left T-DNA border, respectively.

Figure 2

20 GUS activity is expressed in units GUS (nmoles 4-methylumbelliflferone per min per mg total soluble protein) in first generation transgenic *A. thaliana* wild-type, *sgs2* and *sgs3* background transformed with pFAJ3160 and pFAJ3163.

Figure 3

25 SDS-PAGE analysis of total protein extracts (2 μ g/lane) from *sgs2* mutants transformed with pFAJ3163 (lanes 1 and 2); total protein extracts (2 μ g/lane) from non-transgenic plants (lane 3); 500ng bovine serum albumin (lane 4); partially purified β -glucuronidase (lane 5). 30 The position of GUS is indicated by the arrow to the right. The position of molecular weight reference proteins is indicated by arrows to the left.

SEQUENCES

Where a DNA sequence is specified, unless context requires otherwise, use of the RNA equivalent, with U substituted for T where it occurs,
5 is encompassed.

Sequence Annex 1: Chicken lysozyme MAR

Sequence Annex 2: pFAJ3160

Sequence Annex 3: pFAJ3163

10

EXAMPLESMaterials and methods

15 Briefly, a set of transformation vectors was constructed without and with MARs flanking the genes of interest. To quantify transgene expression the *b*-glucuronidase reporter gene (*uidA*) driven by the 35S promoter of Cauliflower Mosaic Virus (p35S) was used. For each plant transformation vector *A. thaliana* populations consisting of at least
20 30 primary transformants were obtained. The activity of the *b*-glucuronidase (GUS) enzyme in leaf extracts was measured and statistically evaluated.

Plant transformation vectors

25

All plant transformation vectors were constructed using the modular vector system as fully described in Goderis & De Bolle et al. (2002). pFAJ3160 and pFAJ3163 were assembled as previously described in De Bolle & Butaye et al. (2003) (see Sequence Annex).

30

Mutants

35 *sgs2* and *sgs3* mutants as described in Elmayan et al. (1998) and Mourrain et al. (2000). Seeds of the mutants were provided by Hervé Vaucheret, INRA Versailles.

Plant Transformation

All plant transformation vectors were introduced in *Agrobacterium* 5 *tumefaciens* GV3101 (pMP90) by electroporation. The *A. tumefaciens* strains with the binary vectors were used to transform *A. thaliana* wild-type and mutant plants using the floral dip transformation method as described by Clough & Bent (1998). Transgenic plants were selected based on resistance against phosphinotricin and further 10 grown as described by De Bolle & Butaye et al. (2003).

Enzyme Assays

β -Glucuronidase (GUS) activity was measured fluorometrically using 4- 15 methylumbelliferyl glucuronide as a substrate and 4-methylumbelliferon as a standard according to Jefferson (1987). Total protein was determined by the method of Bradford (1976) using bovine serum albumin as a standard.

20 *SDS-PAGE*

Total leaf extracts and GUS standard (Sigma-Aldrich) were separated on a 12.5% SDS-PAGE and visualized by staining with Coomassie brilliant blue R250.

25

Results

The A element that flanks the chicken lysozyme gene (Phi-Van et al., 1990; chilMAR) has been shown to reduce transgene expression 30 variability in tobacco (Mlynárová et al., 1994). To test the effect of chilMAR on transgene expression in *A. thaliana* plant transformation vectors without and with chilMARS flanking the T-DNA region were constructed, pFAJ3160 and pFAJ3163 respectively (Figure1).

ChilMAR in Col0

Transformation of wild-type *A. thaliana* plants with pFAJ3160 yielded an average GUS activity of 320 units (Table 1). The population of 5 primary transformants consisted of about 80% low GUS expressing primary transformants (< 50 units GUS) and about 20% high GUS expressing primary transformants (>100 units GUS), a bimodal distribution typical for p35S-driven expression (Elmayan & Vaucheret, 1996; De Bolle & Butaye et al., 2003; Figure 2A). To test the 10 influence of chilMARs on transgene expression, wild-type plants were transformed with pFAJ3163. This resulted in a pattern of GUS activity similar to the one obtained with pFAJ3160 (Table 1; Figure 2B). It was concluded that chilMARs have no significant influence on the 15 level of transgene expression or on the variability of transgene expression in populations of first generation wild-type *A. thaliana* transformants (De Bolle & Butaye et al., 2003).

Table 1. GUS activity in first generation transgenic *Arabidopsis thaliana* wild-type, *sgs2* and *sgs3* background transformed with 20 pFAJ3160 and pFAJ3163.

Background	GUS activity ^a			
	pFAJ3160 (- MAR)	Mean ± S.E. ^c	pFAJ3163 (+ MAR)	Mean ± S.E. ^c
	No ^b		No ^b	
Col0	36	320 ± 135	36	186 ± 81
<i>sgs2</i>	36	2280 ± 399	34	11 237 ± 1839
<i>sgs3</i>	33	830 ± 177	30	9994 ± 2006

^a GUS activity is expressed in units GUS (nmoles 4-methylumbelliflferone per min per mg total soluble protein). ^b Number of primary transformants analyzed. ^c S.E., Standard error.

ChilMAR in sgs2

In a further attempt to elevate and level off transgene expression, *A. thaliana sgs2* mutants (Elmayan, et al., 1998) were used as the 5 recipient for transformation instead of wild-type plants. *SGS2* encodes an RNA dependent RNA polymerase, which is presumed to play a key role in RNA silencing of transgenes (Mourrain, et al. 2000). Using this mutant background for transformation with pFAJ3160, average GUS activity in primary transformants increased almost 8-fold 10 compared to wild-type plants (Table 1). The increase in average GUS activity at the population level was not due to an increase in activity of the high-expressing individuals but rather to a reduction of the incidence of individuals with low expression. About 80% of the transformants in the wild-type background had a GUS activity below 50 15 units GUS, whereas all *sgs2* transformants had a GUS activity above 180 units GUS (Figure 2C). Upon transformation of *sgs2* mutants with pFAJ3163, chilMARs caused a 5-fold increase in average GUS activity compared to pFAJ3160 in *sgs2*. Compared to pFAJ3160 in wild-type 20 plants, the chilMARs caused a 40-fold boost of mean GUS activity in *sgs2* mutants (Table 1; Figure 2D).

Some of the *sgs2* transformants containing chilMAR-flanked transgenes reached extremely high GUS activity levels, up to 41 000 units GUS. Coomassie blue staining of an SDS-PAGE gel revealed a clear band in 25 the total leaf extracts of extremely high GUS expressing *sgs2* mutants (Figure 3, lanes 1 & 2), which is not visible in the total leaf extracts of non-transgenic control plants (Figure 3, lane 3) and which is situated at the same position in the gel as the GUS standard (Figure 3, lane 5). By densitometric comparison of the intensities of 30 this band to known amounts of bovine serum albumin (BSA; Figure 3, lane 4) we estimate that GUS accumulated to roughly 10% of the total soluble protein in the transgenic *sgs2* plants.

ChilMAR in *sgs3*

SGS3, like SGS2, plays a yet unknown key role in the RNA silencing mechanism and shows no similarity with any known or putative protein (Mourrain, et al., 2000). Using *sgs3* mutants for transformation with pFAJ3160, the average GUS activity was increased 2,5 fold in comparison the wild-type background (Table 1, Figure 2E). Transformation of *sgs3* plants with pFAJ3163 yielded a 30-fold increase of the average GUS activity in comparison to wild-type plants transformed with pFAJ3160.

References

Allen, G.C., Spiker, S., Thompson, W.F. (2000). Use of matrix attachment regions (MARs) to minimize transgene silencing. *Plant Mol. Biol.* 43: 361-376.

Anandalakshmi, R., Pruss, G.J., Ge, X., Marathe, R., Mallory, A.C., Smith, T.H., Vance, V.B. (1998) A viral suppressor of gene silencing in plants *Proc Natl Acad Sci U S A*, 95, 13079-1384.

Bradford, M.M. (1976). A rapid and sensitive method for quantification of microgram quantities utilizing the principle of protein-dye binding, *Anal. Biochem.* 72: 248-254.

Clough, S. J. & Bent, A. F. (1998). Floral dip: a simplified method for Agrobacterium-mediated transformation of *Arabidopsis thaliana*. *Plant J.* 16: 735-43.

Dalmay, T., Hamilton, A., Rudd, S., Angell, S. and Baulcombe, D.C. (2000) An RNA-dependent RNA polymerase gene in *Arabidopsis* is required for posttranscriptional gene silencing mediated by a transgene but not by a virus. *Cell*, 101, 543-553.

Dalmay, T., Horsefield, R., Braunstein, T.H. and Baulcombe D.C. (2001) SDE3 encodes an RNA helicase required for post-transcriptional gene silencing in *Arabidopsis*. *EMBO J.* 20, 2069-2078.

De Bolle, M.F.C., Butaye, K.M.J., Coucke, W.J.W., Goderis, I.J.W.M., Wouters, F.J., van Boxel, N., Broekaert, W.F., Cammue, B.P.A. (2003). Analysis of the influence of promoter elements and a matrix attachment region on the inter-individual variation of transgene expression in populations of *Arabidopsis thaliana*. *Plant Science* 165: 169-179.

Elmayan, T. & Vaucheret, H. (1996). Expression of single copies of a strongly expressed 35S transgene can be silenced post-transcriptionally. *Plant J.* 9: 787-797.

5 Elmayan, T., Balzergue, S., Béon, F., Bourdon, V., Daubremet, J., Guénet, Y., Mourrain, P., Palauqui, J.-C., Vernhettes, S., Vialle, T., Wostrikoff, K., Vaucheret, H. (1998). *Arabidopsis* mutants impaired in cosuppression. *Plant Cell* 10: 1747-1757.

10 Epinat, J.C., Arnould, S., Chames, P., Rochaix, P., Desfontaines, D., Puzin, O., Patin, A., Zanghellini, A., Pâques, F., Lacroix, E. (2003). A novel engineered meganuclease induces homologous recombination in yeast and mammalian cells. *Nucleic Acids Res.*, 31: 2952-2962.

15 Fagard, M., Boutet, S., Morel, J.B., Bellini, C. and Vaucheret, H. (2000) AGO1, QDE-2, and RDE-1 are related proteins required for post-transcriptional gene silencing in plants, quelling in fungi, and RNA interference in animals. *Proc Natl Acad Sci U S A*, 97, 11650-11654.

20 Glazov, E., Phillips, K., Budziszewski, G.J., Meins, F., Levin, J.Z. (2003) A gene encoding an RNase D exonuclease-like protein is required for post-transcriptional silencing in *Arabidopsis*. *Plant J.* 35, 342-349.

25 Goderis, I.J.W.M., De Bolle, M.F.C., François, I.E.J.A., Wouters, P.F.J., Broekaert, W.F. & Cammue, B.P.A. (2002). A set of modular plant transformation vectors allowing flexible insertion of up to six expression units. *Plant Mol. Biol.* 50: 17-27.

30 Hajdukiewicz, P., Svab, Z. and Maliga P. 1994. The small, versatile pPZP family of *Agrobacterium* binary vectors for plant transformation. *Plant Mol. Biol.* 25: 989-994.

Hamilton, A.J. and Baulcombe, D.C. (1999) A species of small antisense RNA in posttranscriptional gene silencing in plants. *Science*, 286, 950-952.

5 Holmes-Davis, R., Comai, L. (1998). Nuclear matrix attachment regions and plant gene expression. *Trends Plant Sci.* 3: 91-97.

Jefferson, R.A. (1987). Assaying chimeric genes in plants : the GUS gene fusion system, *Plant Mol. Biol. Rep.* 5: 387-405.

10

Mlynárová, L., Loonen, A., Heldens, J., Jansen, R.C., Keizer, P., Stiekema, W.J., Nap, J.P. (1994). Reduced position effect in mature transgenic plants conferred by the chicken lysozyme matrix-associated region. *Plant Cell*, 6: 417-426.

15

Mourrain, P., Béclin, C., Elmayan, T., Feuerbach, F., Godon, C., Morel, J.-B., Jouette, D., Lacombe, A.-M., Nikic, S., Picault, N., Rémond, K., Sanial, M., Vo, T.-A., Vaucheret, H. (2000). *Arabidopsis SGS2* and *SGS3* genes are required for posttranscriptional gene silencing and natural virus resistance. *Cell*, 101: 533-542.

Odell, J.T., Nagy, F. and Chua, N.H. (1985) Identification of DNA sequences required for activity of the cauliflower mosaic virus 35S promoter. *Nature*, 313, 810-812.

25

Outchkourov, N.S., Peters, J., de Jong, J., Rademakers, W. and Jongsma, M.A. (2003) The promoter-terminator of chrysanthemum *rbcS1* directs very high expression levels in plants. *Planta*, 216, 1003-1012.

30

Phi-Van, L., von Kries, J.P., Ostertag W. & Stratling, W.H. (1990). The chicken lysozyme 5' matrix attachment region increases transcription from a heterologous promoter in heterologous cells and dampens position effects on the expression of transfected genes. *Mol. Cell Biol.* 10: 2302-2307.

35

Verdaguer, B., de Kochko, A., Beachy, R.N., Fauquet, C. (1996). Isolation and expression in transgenic tobacco and rice plants, of the cassava vein mosaic virus (CVMV) promoter. *Plant Mol. Biol.* 31, 5 1129-1139.

Weigel, D., Ahn, J.H., Blazquez, M.A., Borevitz, J.O., Christensen, S.K., Fankhauser, C., Ferrandiz, C., Kardailsky, I., Malancharuvil, E.J., Neff, M.M., Nguyen, J.T., Sato, S., Wang, Z.Y., Xia, Y., Dixon, 10 R.A., Harrison, M.J., Lamb, C.J., Yanofsky, M.F., Chory, J. (2000). Activation tagging in *Arabidopsis*. *Plant Physiol.* 122:1003-1013.

Wesley, S.V., Hellierwell, C.A., Smith, N.A., Wang, M.B., Rouse, D.T., Liu, Q., Gooding, P.S., Singh, S.P., Abbott, D., Stoutjesdijk, P.A., 15 Robinson, S.P., Gleave, A.P., Green, A.G., Waterhouse, P.M. (2001) Construct design for efficient, effective and high-throughput gene silencing in plants. *Plant J.* 27, 581-590.

Sequence Annex 1: Chicken lysozyme MAR

ccagagaacgctcactacttcaaaggaaaaataaagcatcaagctggcctaaacttaataaggtat
ctcatgtaacaacagctatccaagcttcaagccacactataaataaaaacctcaagttccgatcaacg
tttccataatgcaatcagaaccaaaggcattggcacagaaagcaaaaaggaaatgaaagaaaaggcgt
gtacagttccaaaagggttcttcttgaagaatgttctgacctgtcaaaacatacagtccagttaga
5 aattttactaagaaaaagaacaccccttacttaaaaaaaaaaacaacaaaaaaaaacaggcaaaaaacc
tctcctgtcactgagctgccaccacccaaccaccacgtgtggctttgtctcccaagacaaaggac
acacagccttatccaatattcaacattacttataaaaacgctgatcagaagaaataccaagtattcct
cagagactgttatatccttcatcgcaacaagagatgaaataacagagtgaatatcaaagaaggcg
gcaggagccaccgtggcaccatcaccgggcagtgcagtgcccaactgccgtttctgagcacgcattag
10 aagccgtcagtcacatgtataaaccaaaacctggtacagttatattat

Sequence Annex 2: VpFAJ3160: 11169 bp

5 agtactttgatccaaccctccgctgctatagtgcagtcggcttctgacgttcagtgcagccgtttct
 gaaaacgacatgtcgacacaagtccataagttacgcgacaggctgccgcctgcctttctggcgttt
 cttgtcgctgttttagtcgcataaagttagaaatacttgcgactagaaccggagacattacgcac
 aagagcgcgcgcgtggcctgctggctatgcccgcgtcagcaccgacgaccaggacttgcaccaac
 cggccgaactgcacgcggccggctgcaccaagctgtttccgagaagatcacccgcaccaggcgc
 10 cgcgcggagctggcaggatgcttgaccacctacgcgcgtgcacgttgcacagtgaccaggctagac
 cgcctggccgcagcaccgcgcacctactggacattgccgagcgcatccaggaggccggcggc
 cgtagcctggcagagccgtggccgacaccaccacgcggccggccatgggtttgaccgtgttcgc
 ggcattgccgagttcgagcgttccataatcatgcaccgcacccggagcggcgcgaggccgccaagg
 cgaggcgtgaagtttgccccccgcctaccctacccggacagatgcgcacgcgcgagctgatc
 15 gaccaggaaggccgcaccgtgaaagagggcgctgcactgcttggcgtgcacgcgcgcgcgc
 gcacttgc
 ttgaccgaggccgacgc
 aggacggccaggacgaaccgttttattaccgaagagatgcgaggccggagatgcgcgcgg
 tgttcgagccgc
 20 agctggc
 tattttagtaaaacagcttgcgtcatgcggcgtgcgtatgcgtatgcgtatgcgtatgc
 gcaaggggaaacgcatgaagggtatgcgtacttaaccagaaaggcgggtcaggcaag
 accgcaccatgc
 aacccatctagccgcgcgcgcgcgcgcgcgcgcgcgcgcgcgcgcgc
 cagtgc
 25 gattgaccgcgcgtgaaggccatgcgcgcgcgcgcgcgcgcgcgcgcgc
 ggacttggcgtgtccgcgcgcgcgcgcgcgcgcgcgcgcgcgc
 catatggccaccgcgcgcgcgcgcgcgcgcgcgcgcgc
 agcggcccttgcgtgtcgccgcgcgcgcgcgcgcgcgc
 cgggtacgactgcgcgcgcgcgcgcgcgcgcgcgc
 30 cggcacaaccgttcttgcatacagaaccgcggggcgcgcgcgcgcgc
 aattaaatcaaaactcattttagttaaatgaggtaaagagaaaaat
 gagcaaaagcacaaacacgcataatgcgcgcgcgcgcgc
 aagcgggtcaactttcagttgcggcggaggatcaccaag
 ctgaagatgtacgcggtaacgcgcgcgcgc
 aagaccattaccgagctgtatctgaatacatgcgcgc
 gagctaccagagtaatgagcaatgaataat
 35 gagtagatgaattttagcggctaaaggaggcggcatggaaaat
 caagaacaaccaggcaccgcgcgcgc

ggaatccccatgtgtggaggaacggggcggttggccaggcgtaagcggtgggtgtccggccctg
 caatggcaactggAACCCCAAGCCGAGGAATCGGCGTGA CGGTGCAAACCATCCGGCCCGTACAAA
 tcggcgccgctgggtatgacctgggagaagttgaaggccgcgcaggcccccagcggcaacgc
 tcgaggcagaagcacgccccggtaatcgtggcaagcgccgctgatcgaatccgaaaagaatccggc
 5 aaccggccggcagccggcgccgtcgatttaggaagcccccagggcgacgagcaaccagatTTTcg
 ttccgatgcttatgacgtggcaccgcgatagtcgcagcatcatggacgtggccgtttccgtctgt
 cgaagcgtgaccgacgagctggcgagggtatccgctacgagcttccagacgggacgttagaggTTTcg
 cagggccggccggcatggccagtgtgtggattacgacctggtaatgtggcggtttccatctaaccg
 aatccatgaaccgataccggaaagggagacaagccccggcgtgttccgtccacacgttgcgg
 10 acgtactcaagtctgccccgagccgatggcgaaagcagaaagacgacactggtagaaacactgcattc
 ggttaaacaccacgcacgttgcattgcagcgtacgaagaaggccaagaacggccgcgttgcacggat
 ccgagggtgaagcctttagccgtacaagatcgtaaagagcgaaaccgggggggggggggggggggg
 agatcgagctagctgattggatgtaccgcgagatcacagaaggcaagaaccggacgtgtacgggtt
 accccgattactttttagatcgatccccgcattggccgtttcttctaccgcctggcacgcgcgcgc
 15 gcaaggcagaagccagatgggtttcaagacgatctacgaacgcagtggcagcgcggagagttcaaga
 agttctgtttcaccgtgcgaagctgatcgggtcaaattgacactgcccggagtagattgaaggaggagg
 cggggcaggctggcccgcattcttagtcatgcgttaccgcacactgatcgagggcgaaacatccgg
 ctaatgtacggagcagatgttagggcaaaattgccttagcagggggaaaagggtcgaaaagggtcttt
 ctgtggatagcacgtacattggaaacccaaagccgtacattggaaaccgcgtacattggaaacc
 20 caaagccgtacattggaaaccggtcacacatgtaaatgtactgtataaaagagaaaaaggcgatTTT
 ccgcctaaaactttaaaacttattaaaactcttaaaacccgcctggcctgtgcataactgtctggcc
 agcgcacagccgaagagctgcaaaaagcgcttacccttcggctcgctgcgtccctacgcgg
 cgcgtcgccatcgccggcgtggccgtcaaaaatggctggctacggccaggcaatctaccagg
 gggacaaagccgcgcgtcgccactcgaccggccggcccatcaaggccacccgcctcgccgtt
 25 ggtgatgacggtgaaaacctctgacacatgcagctccggagacggcacagttgtctgtaaacggat
 gccgggagcagacaagccgtcagggcggtcagcgggtttggcggtgtcgccgcgcacccatgacc
 cagtcacgtacgcatacggtgtataacttgcgttactatgcggcatcagagcagattgtactgag
 tgcaccatatgcgggtgtaaaataccgcacagatgcgtaaaggaaaaataccgcacaggcgtt
 ctgcgttactgcgttactgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgtt
 30 cggttaatacggttatccacagaatcagggataacgcaggaaacatgtgagcaaaaggccagcaa
 aggcaggaaaccgtaaaaaggccgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgtt
 aaaaaatcgacgctcaagtcaaggtggcgaaacccgcacaggactataaagataccaggcg
 ctggaaagctccctcgctcgctcggttgcgttgcgttgcgttgcgttgcgttgcgttgcgtt
 ctgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgtt
 35 ccaagctggctgtgtgcacgaaccccccgttgcgttgcgttgcgttgcgttgcgttgcgttgcgtt

ttgagttccaaccggtaagacacgacttatgccactggcagccactggtaacaggattagcagag
cgaggtatgttaggcggctacagagttcttgaagtggggcttaactacggctacactagaaggacag
tatttggtatctgcgtctgtgaagccagttacccggaaaaagagttggtagcttgcgtatccggca
aacaaccaccgctggtagcggtggttttttgcaggatcgcgcagaaaaaaaggat
5 ctcagaagatccttgcgtatcttctacgggtctgacgctcagttggaaacgaaaactcacgttaaggga
tttggcatgcgtatgtatctccaatttgcgttagggcttattatgcacgcttaaaaataataaaag
cagacttgcacgtatgtttggctgtgagcaattatgtgccttagtgcataatgcgttgcgttgc
cggtggcaagcggcgtcggtgaacgaaatttcttagcttagcattatttgcgttgcgttgcgttgc
ccttcacgttagtggacaaatttccactgtatctgcgcgcgaggccaaagcgatcttgcgttgc
10 agataaggcctgttagtgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgc
gcagcgacatccttcggcgcgatttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgc
acatttcgcgtatcgccagcccagtcggcggcgagttccatagcgttaaggtttcattagcgc
aatagatcctgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgc
15 atgtcattgcgtgcatttccaaatttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgc
tcgtgcacaacaatggtgacttctacagcgcggagaatctcgctctccaggggaaagccgaagttcc
aaaaggtcggtatcaaagctcgccgcgttgcgttgcgttgcgttgcgttgcgttgcgttgc
atatcactgtgtggcttcaggccgcattccactgcggagccgtacaaatgtacggccagcaacgtcg
20 tcgagatggcgctcgatgacgccaactacctctgtatagttgagtcgatacttcggcgatcaccgc
cccattgtttaactttgttttagggcgactgcctgtgttaacatcggtgcgtccataacatc
aaacatcgacccacggcgtaacgcgcgttgcgttgcgttgcgttgcgttgcgttgcgttgc
catgtcataacaagaagccatgaaaaccgcactgcgcgcgttaccaccgcgtgcgttgcgttgc
25 gaccagttgcgtgacggcagttacgtacttgcattacagcttacgaaaccgaacgaggcttatgtcc
ctgggttcgtgcgcattgtatcacaggcagcaacgcgtctgtcatcggtacaatcaacatgc
cgcgagatcatccgtttcaaaacccggcagcttagttgcgttctccgtatcggtacaatga
gcaaaagtctgcccgccttacaacggctctccgcgtacgcgcgtccggactgtggctgcgttatcga
gtgggtatgtgtggcgagctgcggcgtggggagctgttgctggctggctggcaggatattgtgg
30 taaacaaatttgcgttagacaacttaataacacattgcggacgttttaatgtactgaattaaacgc
aattgaattcaggcctgtcgacgcccggcggtaccgcgtatcgctcgacgcgtcaggcataaaggc
cgtgtccgcataaagaaccacccataataccataatagctgtttgcgtatcgctacccgtt
atagttaccggtaattcccgatctgtatgtacatagatgacaccgcgcgcgtatccatgc
cgctatattttgtttctatcggtatataatgtataattgcggactctaattcataaaaaacc
tcataaataacgtcatgcattacatgttaatttacatgttacgttacatgcgttgcaggcataaaggc
taatcatcgcaagaccggcaacaggattcaatcttgcgttgcgttgcgttgcgttgcgttgc
35 ccggccgagctcggttagcaattcccgaggctgttagccgcacgcgtggccaccaggagttgttgc
ccggccgagctcggttagcaattcccgaggctgttagccgcacgcgtggccaccaggagttgttgc

attgtttgcctccctgctgcggttttcaccgaagttcatgccagtcgcgtttgcagcagaaaag
 5 ccgcccacttcggttgcggcgcgagtgaaagatcccttcttaccgcacgcgcataatgcctt
 gcgaggcgaaaatcgccaaattccatacctgttaccgcacgcgcgtgcgcataagacgc
 ggtgatacatatccagccatgcacactgatactcttcaactccacatgtcggtgtacattgagtgcagcc
 10 cggtcaacgtatccacgcgtattcggtgatgataatcggtgatgcagttctcctgccaggccagaa
 gttctttccagttacccctctgcgttccaaatcgccgttggacataccatccgtataatacggt
 tcaggcacagcacatcaaagagatcgctgatggatcggtgtgagcgtgcagaacacattacattgacgc
 aggtgatcgacgcgtcggtcgagttacgcgttgcgtccgcagtgccgaaatattcccgac
 cttgcggacgggtatccggttcgttgcaataactccacatcaccacgcgtgggtgggttcacgc
 15 ctatcagctcttaatgcctgtaagtgcgttgcgttgcgtttcccggtactgcctttcgctgtaca
 gttcttcggcttgcgttgcggcgttcgaaaccaatgcctaaagagaggttaagccgacagcagcagtt
 catcaatcaccacgatgccatgttcatctgcggcgttcgacatcttcgcgttaaggtaatgcgagg
 tacgttaggagttggcccaatccagtcattaatgcgtggcgtgcaccatcagcacgttatcgaatc
 cttgcacgcacgcgtcccatcttcatgacgaccaagccagtaaaagtagaacggttgcgttgc
 20 ggaactgttcgccttcactgccactgaccggatgcgcgcgaaagcggtagatatacactctgtct
 ggctttggctgtgacgcacagttcatagagataacccttacccgggtgcgcagagggtgcggattcacca
 cttgcacgcacgcgtccgttagtgcctgtccagttgcgttgcaccacctgttgcgcacatgcgtca
 ccacgggtatatgcgtccacccagttgcgtggtagagcattacgcgtgcgttgcgcacatgcgtca
 25 agttaaagaaatcatgaaagtaagactgctttcttgcgtttcgtaatcaccattccggcg
 ggatagtctgccttcagttcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgtt
 acggcgtgacatcggttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgtt
 acactttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgtt
 30 taaaactgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgtt
 cacagtttcgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgtt
 ctacaggacgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgtt
 tgtaattgttaatagtaattgttaatgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgtt
 35 cgaggtccttcacatgaaacttccttatatagaggaagggtttgcgttgcgttgcgttgcgttgcgtt
 tgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgtt
 ttctttccacatgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgtt
 caacgtggccttcacatgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgtt
 caataaagtgacagatagctggcaatggaaatccgaggaggtttccggatattacccttgcgttgcgtt
 tctcaattgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgtt
 ccaccatgttacatcaatccacttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgtt

ctccctcggtgggtccatcttggaccactgtcgccagaggcatcttcaacgatggccttcct
 ttatcgcaatgatggcattttaggagccaccccttccactatcttcaacaataaagtgcacagata
 gctggcaatggaatccgaggaggtttccggatattacccttggataaaagtctcaattgcccttgg
 tcttctgagactgtatctttagatattttggatagacaagtgtgtcgctccaccatgtcaagctt
 5 gccccgcgtcgctaccccttaggaccgttatagttattaccctgttatccctattaattaagagctcgct
 accttaagagaggatatcggcgccgaattcgcgtctatcatagatgtcgctataaacctattcagc
 acaatataattgtttcattttatattgtacatataagttagttagggtacaatcagtaaattgaacggag
 aatattattcataaaaatacgatagtaacgggtgatattcattagaatgaaccgaaaccggcgtaa
 ggatctgagctacacatgctcaggccccacaacgtgcacaacagaattgaagcaaataatcatgcga
 10 tcataggcgtctcgcatatctcattaaagcagctggaaagattttaggttatccctcatcagatctcggtga
 cggcaggaccggacggggcggtaccggcaggctgaagtccagctgcccagaaacccacgtcatgccagt
 tcccggtgttatggcagccgatgacagcgaccacgcttgcagccctgtgcctccaggacttca
 cgctcggtcggttatggcagccgatgacagcgaccacgcttgcagccctgtgcctccaggacttca
 15 gcaggtgggttagagcgtggagccagtcggccgttatggcggggggagacgtacacggtcgact
 cggccgtccagtcgttaggcgttgcggtgccttccagggggcccgtaggcgtatgcggcgcacccgcgt
 ccacctcggcgacgagccaggatagcgtcccgacagcggacgaggctgcgtccactccgcgt
 cctgcggctcggtacggaaagttgaccgtgttgcgttatgttagtggttgacgatggtcagaccgg
 gcatgtccgcctcggtggacggcgatgtcggccggcgatgttgcgttatggctcatggtagatctgttta
 aacgttaacggattgagagtgaatatgagactctaattggataccgagggaaatttatggaaacgtca
 20 ggagcattttgacaagaaatattgttagctgtatgtgaccccttaggcgactttgaacgcgcataat
 ggtttctgacgtatgtgttatgtcattaaactccagaaaccccgccgtgagtggctccttcaatcg
 gcggttctgtcgttatccaaacgtaaaacggcttgcgtcccgatcggcgggggtcataacgtgactcc
 cttaattctccgcgtatcaagcttgcgcgcctctagaattaaatggatcctacgtactcgagaa
 gcttagcttgcgttggatcagattgtgttatccgccttgcgttatggatcctacgtactcgagaa
 25 atattggcggttaaacctaagagaaaagagcgtttattagaataacggatattaaaaggcgtaaaa
 gtttatccgttgcgtccatttgcgttatgtgcattgcgcaccacagggttccctcggtcaaa

Sequence Annex 3: VpFAJ3163: 17062 bp.

atttgtatgtcatgccaaccacagggttcccctcggtatcaaagtactttatccaaccctccgctg
5 ctatagtgcagtcggcttctgacgttcagtgcagccgtttctgaaaacgacatgtcgacataagtccta
agttacgcacaggctgccgcctgcctttcctggcgcccccttgcgtgttttagtcgcataaa
gtagaataacttgcactagaaccggagacattacgcacatgaaacaagagcggccgcgtggcctgctgg
ctatgcccgcgtcagcaccgacgaccaggacttgaccaaccaacggggcgaactgcacgcggccggctg
10 caccaagctgtttccgagaagatcacggcaccaggcgacccggcgactggcaggatgttgaa
ccacctacgcctggcgacgttgacagtgaccaggctagaccgcctggccgcagcaccgcgacact
actggacattgccgagcgcacccaggcgacggccggcgccgtcgtagcctggcagagccgtggccga
caccaccacgcggccggccgcattgtgttgcaccgtgtcgccgcattgcccagttcgagcgttccct
aatcatcgaccgcacccggagcggcgacggccgcacggccgtgaagttggccccccgccc
tacccctaccccgacagatcgacgcacgcggcgactgtatcgaccaggaaaggccgcaccgtgaaaga
15 ggcggctgcactgcttgcgtgcacgcgtcgaccctgtaccgcgcacttgagcgcagcgaggaagtgc
gcccaccgaggccaggcgccggcggtgccttcgtgaggacgcattgaccgaggccgacgcgcctggcggc
cgccgagaatgaacgccaagaggaacaagcatgaaaccgcaccaggacggccaggacgaccgttttc
attaccgaagagatcgaggcgagatgatcgccgggttgcgttgcagccgcgcacgttc
accgtgcggctgcatgaaatcctggccgttgcgtatgccaagctggccgcctggccggcagcttgc
20 gcccgtgaagaaaccgagcgcgcgcgtctaaaaggatgtatgttgcgttgcgtatgcgcgcgc
gcggcgtgcgtatgcgtatgcgtatgcgtatgcgtatgcgtatgcgtatgcgtatgcgtatgc
ctgtacttaaccagaaaggcggtcaggcaagacgcaccatgcacccatctagccgcgcctgc
tcgcccggccgcgttgcgtatgcgtatgcgtatgcgtatgcgtatgcgtatgcgtatgc
ggaaagatcaaccgctaaccgttgcgtatgcgtatgcgtatgcgtatgcgtatgcgtatgc
25 gcccgcgcacttcgttagtgcgtatgcgtatgcgtatgcgtatgcgtatgcgtatgcgtatgc
cagccgacttcgtgtatgcgtatgcgtatgcgtatgcgtatgcgtatgcgtatgcgtatgc
agctggtaagcagcgcattgaggtcagggatgaaaggctacaagcggccgttgcgtgc
tcaaaaggcagcgcacgcgcgttgcgtatgcgtatgcgtatgcgtatgcgtatgc
ccgtatcagcgcgcgttgcgtatgcgtatgcgtatgcgtatgcgtatgcgtatgc
30 ccgaggggcgcgcgtgcgcgcgcgcgcgcgcgcgcgcgcgcgcgcgcgcgcgc
atgaggtaaagagaaaatgagcaaaaggcacaacacgcataatgcgtgcgcgcgc
caaggctgcacacgttgcgcgcgcgcgcgcgcgcgcgcgcgcgcgcgc
ggaggatcacaccaagctgaagatgtacgcgttgcgtatgcgtatgcgtatgc
atacatgc
35 gaggcggcatggaaaatcaagaacaaccaggcaccgcgcgcgcgcgcgcgcgc

gcgggtggccaggcgtaagcggctgggtgtctgccggccctgcaatggcactggAACCCCCAAGCCCG
aggaatcggcgtgacggcgcacaaccatccggcccggtacaatccggcggcgtgggtatgacctg
gtggagaagttgaaggccgcgcaggccgcccagcggcaacgcacgcatcgaggcagaagcacgccccggtaa
tcgtggcaagcggccgtatcgaaatccgaaaagaatccggcaaccggcggcagccgtgcggccgtcg
5 attaggaagccgccaaggcgacgaccaaccagatTTTcgttccatgtcttatgacgtggcacc
cgcgatagtcgcagcatcatggacgtggccgtttccgtctgtcgaagcgtgaccgacgacgtggcag
gtatccgctacgagcttccagacggcacgttagaggTTTccgcagggccggcatggccagtgt
tgggattacgacctggtaactgtatggcggtttccatctaaccgaatccatgaaccgataccggaaagg
aaggagacaagccggccgcgtttccgtccacacgttgcggacgtactcaagttctggccggcagcc
10 gatggcgaaagcagaaagacgacctggtagaaacctgcattcggttaaacaccacgcacgttgcatt
cagcgtacgaagaaggccaagaacggccctggtacggtatccgagggtgaagcctttagccgc
tacaagatcgtaaagagcgaaccggcggccggagttacatcgagatcgagctgatggatgtac
cgcgagatcacagaaggcaagaacccggacgtgctgacggttcacccgattactttgatcgatccc
ggcatcgccgtttctaccgcctggcacgcgcgcgcaggcaaggcagaagccagatgggttt
15 aagacgatctacgaacgcagttggcagcgccggagagttcaagaagttctgttaccgtgcgaagctg
atcgggtcaaattgacctgcccggagtacgatTTTgaggaggaggcggggcaggctggccgatctagtc
atgcgtaccgcaacctgatcgagggcgaagcatccgcggttctaattgtacggagcagatgctaggg
caaattgccttagcagggaaaaaggtcgaaaaggctctttctgtggatagcagttacattggaaac
ccaaaggcgtacattggaaaccggAACCGTACATTGGAAACCCGTTACATTGGAAACCGGTCA
20 cacatgttaagtgactgtataaaaagagaaaaaaggcgatTTTccctaaactctttaaaacttatt
aaaactctaaaacccgcctggcctgtgcataactgtctggccagcgcacagccgaagagctgcaaaaa
gcgcctacccttcggcgtcgctgcgtccctacgccccgcgttgcgtcggcctatcgccggcgtggc
cgctcaaaaatggctggcctacggcaggcaatctaccaggcgcggacaagccgcggcgtcgccactc
gaccgcggcggccacatcaaggcaccctgcctcgcggttgcgtatgacggtaaaaacctctgaca
25 catgcagctccggagacggtcacagttgtctgttaagcggatgccggagcagacaagccgtcagg
cgcgtagcgggtgttggcggtgtcggggcgcagccatgacccagtcacgtacgtacgatagcggagtgta
tactggcttaactatgcggcatcagagcagattgtactgagagtgacaccatgcgggtgtgaaataccg
cacagatgcgttaaggagaaaaataccgcatcaggcgctttccgttccgtctactgactcgctgcgc
tcggcgttgcggctgcggcagcggtatcagctactcaaaggcgttaatcgggtatccacagaatca
30 ggggataacgcaggaaagaacatgtgagcaaaaggccagcaaaaggccaggAACCGTAAAGGCCCG
ttgctggcgTTTccataggctccgcggccctgacgagcatcacaatcgacgctcaagttaggg
tggcgaaacccgacaggactataaagataccaggcgttccccctggaaagctccctcgctgcgtct
gttccgcaccctgcgttaccggatacctgtccgcTTTcccttccgttccgttccat
agctcacgctgttaggtatctcagttcggtaggtcgttgcgtccaaagctggctgtgcacgaaccc
35 cccgttcaagccgaccgcgtgcgcTTTccgttaactatcgatgtccaaacccggtaagacacac
cccgatcgccgtgcgcTTTccgttaactatcgatgtccaaacccggtaagacacac

ttatcgccactggcagcagccactggtaacaggattagcagagcgaggtatgttaggcggtgctacagag
 ttcttgaagtggtggcctaactacggctacactagaaggacagtatttttatctgcgctctgctgaag
 ccagttaccccgaaaaaagagtttttagcttgcacccggcaaaaccaccgctggtagcggtgg
 tttttgttgcaggcagcaggattacgcgcagaaaaaaaggatctcaagaagatccttgcaccc
 5 acggggctgacgctcagtggaaacgaaaactcacgttaaggattttgcacatgcataatctccc
 aattttgttagggcttattatgcacgcttaaaaataataaaagcagacttgcacgcataatcttgc
 gagcaattatgtgcttagtgcacatctaattcgttgcgttaacgcggcgaagcggcgtcggcttgc
 atttcttagctagacattatttgcgcactacccgttgcacccgcattttgcacgttagttgc
 caactgcacatctgcgcgcggccaaagcgttgcacccgcattttgcacgttagttgc
 10 gacgggctgataactggccggcaggcgctccattgcgcgttgcacgcacatccttcggcgcattt
 gccggttactgcgttgcgttgcacccgcattttgcgcgttgcacgcacatccttcggcgcattt
 gggccggcagttccatagcgttgcgttgcacccgcattttgcgcgttgcacgcacatccttc
 aaagagttccgcgttgcacccgcattttgcacgcacatccttcggcgcattttgcacgcac
 cagatcaatgtcgatcgtggctggctgcacgcacatccttcggcgcattttgcacgcac
 15 ttgcagttcgccgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgc
 agcgcggagaatctcgctctccaggggaaagccgaagttccaaaaggtcggttgcgttgcgttgc
 cgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgc
 atccactgcggagccgtacaaatgtacggccacgcacatccttcggcgcattttgcacgc
 tacatcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgc
 20 ggcacgcacatcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgc
 ttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgc
 ccgcacgcacatcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgc
 ctacttgcattacagcttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgc
 25 ggcaacgcacatcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgc
 ggcaacgcacatcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgc
 ctccgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgc
 tcggggagcttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgc
 30 aataacacatgcggacgttttaatgtactgaattacgcgttgcgttgcgttgcgttgcgttgc
 gaaaccaatatattccaaatgaaaaaaatctgataaaaagttgcgttgcgttgcgttgcgttgc
 atgtatgcatttcactagcctaaactctgcgttgcgttgcgttgcgttgcgttgcgttgcgtt
 ttcttagttcagaaataataacagcatcaaaaccgcagctgtactccactgcgttgcgttgc
 35 gatgtgtgaatatctgcacgcataatgcgttgcgttgcgttgcgttgcgttgcgttgcgttgc
 cagacaaaagtttttaatataaaaatggcttttgcgttgcgttgcgttgcgttgcgttgcgtt
 tttaagaccaacacaaaagttggacagcgttgcgttgcgttgcgttgcgttgcgttgcgttgc
 catgaaagctaaaagttatgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgttgcgtt

agagattaactaagtacttctgctgaaaatgtattaaaatccgcagttgctaggataccatcttaccc
gtttagaaaaatacaggctccggcaacgcacattcagcagactcttgcctgctggaaatcaggaaact
gcttactatatacacatataatccttggagttggcattctgagagacatccattcctgacatttt
5 gcagtgcacactctgcattccaaactcagacaagctccatgctgtattcaaagccatttcttgaatagt
ttacccagacatccttgcatttggaaatgaggaaatgcaatggtacaggaagacaatacagcctt
tgtagaaaagtcaagcgcgtggtaatcttcataaaaatgttaactgtttccaaataggaatgtattt
cacttgcataacacctggccttttatattacttttttttaaggacacctgcactaatttgc
aatcacttgcatttataaaagcacacgcactcctcatttcttacatttgcatttgcataatgttgc
10 tttcataatgtatcatatgcacagttaaaatatttcttattacaaaatacagtcacacaagagggg
tgaggccaaagtcttacttgcataatattccaaagtgtcagcactgggggtgtaaaattacattacat
ggtatgaataggcggattctttacaactgaaatgctcgatttcattggatcaaaggtaatgtactgt
ttactatcttcaagagacttcaatcaagtcgggtattccaaagaagcttaaaagattgaagcacaga
cacaggccacaccagagcctacacctgctgcaataagtgggtctatagaaaggattcaggaactaaca
gtgcataatttacaaaatagagatgcttattcatacttgccttacatggggaaaaagacatccatgag
15 aatatccaaactgaggaacttctgtttcatagtaactcatctactactgcttaagatgggtttaaaagt
acccagcaggtgagatatgtcgggaggtggctgtggcagcgtgtccaaacacgcacacaagcacc
caccctatctgcataatgctactgcaaggcagtgccgtaaacagactgcaacaggcatacttctgcata
aatgctgtgactcgtagcatgctgcaactgtgtttaaaacctatgcactccgttacccaaaataattt
agtcccaaataatccatgcagcttgccttcatgccaacatatttttagaaagtattcattcttctt
20 agaatatgcacgtggatctacacttgcctggatctgaaagcgatttatacctcagttgcagaaggcattt
agtgtcctggatctggaaaggcagcagcaacgtgcccgtttacatttgcacccatgtgacaacccgc
cttactgagcatcgctctaggaaattttaggctgtatccttacaacacaagaaccacgcacagactgca
tataaaattctataaataaaaaataggagtgaagtctgtttgacctgtacacacagagcatagagataaa
aaaaaaaggaaatcaggaattacgtatttctataaattgcctatattttacttagaaacacagatgaca
25 agtatatacacaatgtaaatccgaagtttatcaacatgttaacttagggaaaacatttacaagcatttgggt
atgcaactagatcatcaggtaaaaaatccattagaaaaatctaaggccgcagttcaaaaggaaaaaa
aaccagagaacgcctacttcaaaaggaaaaataaagcatcaagctggcttacatttcaagttccgatcaa
atctcatgtaaacacagcttatccaagcttcaagccacactataaataaaaacctcaagttccgatcaa
cgtttccataatgcataatcagaaccaaggcattggcacagaaagcaaaaaggaaatgaaagaaaagg
30 ctgtacagttccaaaagggttctttgaagaaatgttgcacctgtcaaaacatacagtcagta
gaaattttactaagaaaaaagaacacccattacttaaaaaaaaaaaaacaacaaaaaaaacaggcaaaaaaa
cctctcctgtcactgagctgccaccaccaaccacccatgtgtggctttgtctcccaagacaaagg
acacacacgccttatccaatattcaacattacttataaaaacgcgtatcagaagaaatccaagtattt
35 ctcagagactgttatatccttcatcgcaacaagagatgaaatacaacagagtcataatcaaagaagg
cgccaggagccaccgtggcaccatcaccggcagtcagtcagtcggccactgcccgtttctgagcacqccata

ggaagccgtcagtcacatgtataaaaccaaaacctggtacagttatattatggatccccgggtaccgcg
 atcgctcgcgacacctgcaggcataaagccgtcagtgtccgcataaagaaccacccataataccataata
 gctgtttgccatcgctacaccttaggaccgttatagttaaccggtaattcccgatctagtaacatagatg
 acacccgcgcgataatttatcctagttgcgcctatatttgcgttatataatgtata
 5 attgcggactctaataaaaaacccatctcataaataacgtcatgcattacatgttaattattacat
 gcttaacgttaattcaacagaaatttatgataatcatcgcaagacccggcaacaggattcaatcttaaga
 aactttattgccaaatgtttgaacgatcggccggccgagctcggttagcaattcccgaggctgttagccga
 cgatggtgccaccaggagagttgttgcattgttgcctccctgctcggttttcaccgaagttca
 tgccagttccagcgttttgcagcagaaaagccggcacttcgggttgcggcgcgactgtgaagatccctt
 10 tcttgcgttaccgccaacgcgcataatgcctgcgaggtcgcaaaatcgccgaaattccataccctgttac
 cgacgcggcgtgacgcgatcaaagacgcggtaacatccacgcgcgttgcgcactgtatactttcac
 tccacatgtcgtgtacattgagtgcagccggtaacgtatccacgcgcgttgcgtgtatgataatcg
 gctgatgcagtttcctgccaggccagaagttttccagttacccctgcgcgtttccaaatcgc
 cgcttggacataccatccgtataaaacggttcaggcacagcacatcaaagagatcgctgtatcg
 15 tgtgagcgtcgcagaacattacattgacgcaggtgatcgacgcgtcggtcgagttacgcgttgctt
 ccgcgcgtggcgcaaatattccgtgcacccgtcgacgggtatccgggttgcgttgcgcataactccaca
 tcaccacgcgtgggtgggtttgtcacgcgtatcagcttttaatgcgcgttaagtgcgcgttgcttgc
 ttcccccgttgcactgccttcgcgtacagttttccgttgcgcgttgcgcgttgcgcataactccaca
 aagagaggtaaagccgacagcagcagttcatcaatcaccacgcgttgcgcgttgcgcgttgcgc
 20 gcatcttcgcgtaaaggtaatgcgaggtacggtaggagttggcccaatccagtcattatgcgt
 ggtcgacccatcagcacgttatcgaatccgcacgcacgtccgcatttcgcgttgcgcaccc
 cagtaaaagttagaacggttgtggtaatcaggactttccgcgttgcgcgttgcgcgttgcgc
 cggcgttgcgcgttgcgcgttgcgcgttgcgcgttgcgcgttgcgcgttgcgcgttgcgc
 25 caccacgcgtgggtgggtttgtcaccatccgcgttgcgcgttgcgcgttgcgcgttgcgc
 cgttgcgcgttgcgcgttgcgcgttgcgcgttgcgcgttgcgcgttgcgcgttgcgc
 agagcattacgcgtcgatggattccggcatagttaaagaaatcatggaaactgactgcttgc
 cgttttcgtcgtaatcaccatccggcggtatgtctgcgcgttgcgcgttgcgcgttgcgc
 tgatagttacactttccggcaataacatacggcgtgacatcggcgttgcgcgttgcgc
 30 gatgcgtccatcacttcgttattgaccacactttgcgttaatgagtgcgcgttgcgc
 cgttgcgcgttgcgcgttgcgcgttgcgcgttgcgcgttgcgcgttgcgcgttgcgc
 cgttgcgcgttgcgcgttgcgcgttgcgcgttgcgcgttgcgcgttgcgcgttgcgc
 acgcgttgcgcgttgcgcgttgcgcgttgcgcgttgcgcgttgcgcgttgcgc
 35 cctctagagccatgggtttaaacgttaactgttaattgttaatgttaatgttgcgttgcgcgtt

gttgttggtaattgttaaaaatactcgaggcctctccaaatgaaatgaacttccttataga
 ggaagggtcttcgaaggatagtggattgtcgctcatcccttacgtcagtggagatatcacatcaatc
 cacttgcttgaagacgtggtaacgtttttccacatgtcctcgtgggtgggtccat
 ctttgggaccactgtcggcagaggcatcttcaacatggcattttatcgcaatgtatggcattgt
 5 aggagccaccccttcactatcttcacaataaaagtgcacagatagctggcaatggaatccgagga
 ggttccggatattacccttggtaaaagtctcaattgccttggtcttctgagactgtatcttga
 tattttggagtagacaagtgtcgctccaccatgttatcacatcaatccacttgcttgaagacg
 tggttggaaacgtcttccacatgtcctcgtgggtgggtccatcttgggaccactgtcg
 gcagaggcatcttcaacatggcattttatcgcaatgtatggcatttgtaggagccaccccttc
 10 tccactatcttcacaataaaagtgcacagatagctggcaatggaatccgaggaggttccggatattacc
 ctggtaaaagtctcaattgccttggtcttctgagactgtatcttgcattttggagtagaca
 agtgtcgctccaccatgttcaagcttgcggccgtcgtacccatggaccgttataattac
 cctgttatccattaaattaagagctcgctaccattaaagagagaccggtaattcgctctatcataga
 tgcgtataaacatttcagcacaatataattgtttcatattatgtacatataaggtaggt
 15 acaatcagtaattgaacggagaatatttattcataaaaatacgtatgtacgggtgatattcattag
 aatgaaccgaaaccggcgtaaggatctgagctacacatgtcaggttttacaacgtgcacaacaga
 attgaaagcaaatacatgcgtcataggcgctcgcatatctcattaaagcagctggaaagattgt
 gatcctcatcagatctcggtgacggcaggaccggacggggcggtaccggcaggctgaagtccagctgc
 cagaaaccacgtcatgccagttcccgctgttgcggccggcccgacatggccggggcatat
 20 ccgagcgcctcgcatgcgcacgcgtcggtcggtggcagccgatgtacagcgaccacgcgttgc
 ccctgtgcctccaggacttcagcagggtgggttagagcgctggagccagttcccgctggccgg
 ggggagacgtacacggtcgactcgccgtccagtcgttaggcgttgcgtgcctccaggggcccgtag
 gcgatgcccgcacccgcgtccacccgcgtccggcagccaggatagcgctccgcagacggacgagg
 tcgtccgtccactccgtcggttccgtcggtacggaaagttgaccgtgttgcgtatgttagtgg
 25 ttgacgtggtcagaccgcggcatgtccgcctcggtggcagggatgtcgccggcggtct
 gggctcatggtagatctgtttaacgttaacggattgagactgtaatatgagactctaattggataccg
 gggaaatttatggaaacgtcagtggagcattttgacaagaaatattgttagctgatagtgcaccc
 cgactttgaacgcgcaataatggttctgacgtatgtcgtagctcattaaactccagaaaccgcgg
 ctgagtggtccatcggttctgtcagttccaaacgtaaaacggctgtcccggtcatcg
 30 gccccgggtcataacgtgactcccttaattctccgtcatgtcaagcttgcggccggcgccctcta
 gaaaaccaatataattccaaatgaaaaaaaaatctgataaaaaagttgactttaaaaaggatcaataa
 atgtatgcatttctactagccctaaactctgtcatgttgcggatgttgcgtatgtgcaccc
 ttctagttcagaaataacagcatcaaaaccgcagctgtactccactgagctcacgttaagttt
 gatgtgtgaatatctgacagaactgacataatgagactgcaaggatatcagacaagtcaaaatgaaga
 35 cagacaaaagtatttttaatataaaaatggtcttatttctcaatacaaggtaaactactattgcag

tttaagaccaacacaaaagttggacagcaaattgcttaacagtctcctaaaggctaaaaaaaaggaacc
 catgaaagctaaaagttatgcagtattcaagtataacatctaaaaatgatgaaacgatccctaaaggt
 agagattaactaagtacttctgctgaaaatgtattaaaatccgcagttgcttaggataccatcttacctt
 gttgagaaatacaggtctccggcaacgcacattcagcagactcttgcctgctgaaatcagggaaact
 5 gcttactatatacacatataaattttggagttggcattctgagagacatccatttcgtacatttt
 gcagtgcacactctgcattccaactcagacaagctcccatgctgtattcaagccatttcttgaatagt
 ttaccagacatcctgtgcaattggaaatgagggaaatgcaatggtacaggaagacaatacagccta
 tgtagaaagtcaagcagcgtgtaatcttcataaaaatgtaactgtttccaaataggaatgtattt
 cacttgtaaaacacactggccttttatattacttttttttaaggacacctgcactaatttgc
 10 aatcacttgtatttataaaaagcacacgcactcctcattttttacatttgaagatcagcagaatgtctc
 tttcataatgtaataatcatatgcacagttaaaatatttttctattacaaaatacagtcacaagaggg
 tgaggccaaagtctattacttgaatataattccaaagtgtcagcactgggggtgtaaaattacattacat
 ggtatgaataggcggaaattctttacaactgaaatgctcgatttcattggatcaaaggtaagtactgt
 ttactatcttcaagagacttcaatcaagtccgtgtatttccaaagaagctaaaagattgaagcacaga
 15 cacaggccacaccagagcctcacacctgctgcaataagtggctatagaaaggattcaggaactaaca
 gtgcataatttacaaatagagatgctttatcatactttgcccacatggaaaaaaagacatcccatgag
 aatatccaactgaggaacttctctgtttcatagtaactcatctactactgctaagatggttgaaaagt
 acccagcaggtgagatatgttcggaggtggctgtgtggcagcgtgtcccaacacgacacaaagcaccc
 caccctatctgcaatgctcactgcaaggcagtgcgtaaacagctgcaacaggcatcacttctgcata
 20 aatgctgtgactcgtagcatgctgcaactgtgtttaaaacctatgcactccgttacaaaataattt
 agtccaaataatccatgcagctgcttcctatgccaacatattttagaaagtattcatttttt
 agaatatgcacgtggatctacacttcctggatctgaagcgttacactcgttgcagaagcagt
 agtgcctggatctggaaaggcagcagcaacgtgcccgtttacatttgaacccatgtgacaacccgc
 cttaactgagcatcgcttagaaattttaggctgtatccttacaacacaagaaccaacgacagactgca
 25 tataaaattctataaataaaaataggagtgaagtctgtttgacctgtacacacagagcatagagataaa
 aaaaaaaaggaaatcaggaattacgtatttctataaatgccatatattttactagaaacacagatgaca
 agtataatacatacatgtaaaatccgaagttatcaacatgttaacttagggaaacattacaagcattgggt
 atgcaacttagatcatcaggtaaaaatcccattagaaaaatctaagcctcgccagttcaaaaggaaaa
 aaccagagaacgctcactacttcaaaggaaaaataaagcatcaagctggcctaaacttataaggt
 30 atctcatgtaacaacagctatccaaagcttcaagccacactataaaaaacctcaagttccgatcaa
 cgtttccataatgcaatcagaaccaaaggcattggcacagaaagcaaaaaggaaatgaaagaaaagg
 ctgtacagttccaaaagggttcttttgaagaaatgtttctgacctgtcaaaacatacagtccagta
 gaaattttactaagaaaaagaacaccttacttaaaaaaaaacaacaaaaacaggaaaa
 cctctcctgtcactgagctgccaccaccaaccacccgtgtggcttgcataccaaagacaaagg
 35 acacacagccttatccaaattcaacattacttataaaaacgctgatcagaagaaatccaagtatttgc

ctcagagactgttatatccttcatcgcaacaagagatgaaatacaacagagtgaatatcaaagaagg
cggcaggagccaccgtggcaccatcacccggcagtgcagtgccttgcgttgcacgcata
ggaagccgtcagtcacatgtaataaaccaaaacctggtacagttatattatggatcctacgtactcgag
aagcttagctttagcttggatcagattgtcgccccgccttcagttaaactatcagtggttgcacagg
5 atatattggcggtaaacctaagagaaaagagcgttattagaataacggatattaaaagggcgtgaa
aaggtttatccgttcgtcc




Figure 1




Figure 2




Figure 3

Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/GB04/005058

International filing date: 30 November 2004 (30.11.2004)

Document type: Certified copy of priority document

Document details: Country/Office: GB
Number: 0327919.7
Filing date: 02 December 2003 (02.12.2003)

Date of receipt at the International Bureau: 17 February 2005 (17.02.2005)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record.**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- BLACK BORDERS**
- IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- FADED TEXT OR DRAWING**
- BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- SKEWED/SLANTED IMAGES**
- COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- GRAY SCALE DOCUMENTS**
- LINES OR MARKS ON ORIGINAL DOCUMENT**
- REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.